

Common Wallaroo (*Macropus robustus robustus*)*

Milk	Age (days)	Tail (mm)	Foot (mm)	Weight (g)	Feed (mL/day)	Notes
<0.4	60	54	29	42	12	
	70	66	35	60	16	Whiskers present
	80	78	41	84	21	
	90	90	48	112	25	
	95	96	53	128	28	
Transition	97	99	55	137	28	21mL <0.4 + 7ml 0.4
	100	104	57	150	28	14mL <0.4 + 14ml 0.4
	102	107	59	159	28	7mL <0.4 + 21ml 0.4
0.4	105	113	62	173	28	
	110	122	68	200	32	
	120	141	79	255	37	
	130	162	91	320	47	Eyes opening
	140	186	103	390	55	
	150	210	117	475	60	Fine fur visible on head
Transition	152	215	120	495	60	45mL 0.4 + 15ml 0.6
	155	223	124	525	60	30mL 0.4 + 30ml 0.6
	158	230	129	555	60	15mL 0.4 + 45ml 0.6
0.6	160	235	131	575	60	
	170	263	145	685	66	
	175	280	152	745	70	Fine fur covering body
Transition	177	287	155	770	70	50mL 0.6 + 20ml >0.7
	180	297	159	810	70	35mL 0.6 + 35ml >0.7
	182	303	161	840	70	20mL 0.6 + 50ml >0.7
	185	313	164	885	70	
>0.7	190	328	169	960	75	
	200	359	178	1200	85	Emerging from pouch
	210	391	187	1520	105	
	220	418	196	1880	125	
	230	445	203	2280	140	
	240	466	208	2680	155	
	250	486	212	3090	165	
	260	505	216	3500	180	Fully out of pouch
Weaning	270	Growth rate now about 40-50g per day			180	Feed volume now depends on amount of solids consumed
	290	Not Valid			140	
	310				100	Gradually increase solid food and reduce milk intake until fully weaned
	330				60	
	350				30	
	370				0	

* Note: Some animals may better match the Euro growth curve.