

Red-necked or Bennett's Wallaby (*Macropus rufogriseus*)

Milk	Age (days)	Tail (mm)	Foot (mm)	Weight (g)	Feed (mL/day)	Notes
<0.4	60	48	23	50	14	Whiskers present
	70	59	28	65	17	
	80	69	33	85	21	
	90	80	38	105	24	
	100	90	44	130	28	
	110	101	51	160	32	
Transition	112	104	53	170	32	24mL <0.4 + 8ml 0.4
	115	108	55	185	32	16mL <0.4 + 16ml 0.4
	118	112	57	200	32	8mL <0.4 + 24ml 0.4
0.4	120	115	59	210	32	
	130	128	67	260	38	
	140	142	75	320	47	Eyes opening
	150	158	83	390	55	
	160	177	92	470	60	
Transition	162	181	93	488	60	45mL 0.4 + 15ml 0.6
	165	187	96	515	60	30mL 0.4 + 30ml 0.6
	168	192	98	542	60	15mL 0.4 + 45ml 0.6
0.6	170	196	100	560	60	First incisors through gums
	180	217	110	660	65	
	190	239	120	780	72	Fine hair covering
Transition	192	243	122	808	72	54mL 0.6 + 18ml >0.7
	195	250	125	853	72	36mL 0.6 + 36ml >0.7
	198	258	128	898	72	18mL 0.6 + 54ml >0.7
>0.7	200	263	130	930	72	
	210	289	140	1100	80	
	220	319	148	1310	95	Emerging from pouch
	230	350	156	1540	105	
	240	378	163	1770	120	
	250	403	168	2000	130	
	260	415	174	2250	140	
	270	428	179	2500	150	
Weaning	280	440	183	2750	155	Fully out of pouch
	290	Growth rate now about 25g per day			140	Feed volume now depends on amount of solids consumed
	310	Not Valid			100	
	330				60	Gradually increase solid food and reduce milk intake.
	350				30	
370	0				Fully weaned	