

Western Grey Kangaroo (*Macropus fuliginosus*)*

| Milk | Age (days) | Tail (mm) | Foot (mm) | Head (mm) | Weight (g) | Feed (ml/day) | Notes |
|------------|------------|--------------------------------------|-----------|-----------|------------|---------------|--|
| <0.4 | 60 | 44 | 26 | 34 | 40 | 12 | Whiskers visible |
| | 70 | 53 | 32 | 39 | 58 | 16 | |
| | 80 | 63 | 38 | 43 | 77 | 20 | |
| | 90 | 74 | 45 | 47 | 100 | 23 | |
| | 100 | 86 | 52 | 51 | 125 | 28 | Eyelashes visible |
| | 110 | 99 | 59 | 55 | 160 | 33 | |
| Transition | 122 | 115 | 69 | 60 | 215 | 40 | 30mL <0.4 + 10ml 0.4 |
| | 125 | 119 | 71 | 61 | 230 | 40 | 20mL <0.4 + 20ml 0.4 |
| | 128 | 123 | 73 | 62 | 245 | 40 | 10mL <0.4 + 30ml 0.4 |
| 0.4 | 130 | 126 | 75 | 63 | 255 | 40 | |
| | 140 | 141 | 84 | 67 | 310 | 46 | |
| | 150 | 157 | 93 | 71 | 380 | 53 | |
| | 160 | 174 | 102 | 75 | 460 | 61 | Eyes open |
| | 170 | 191 | 111 | 79 | 560 | 68 | |
| | 180 | 208 | 120 | 82 | 680 | 80 | Fine fur visible on head |
| Transition | 182 | 212 | 122 | 83 | 712 | 80 | 60mL 0.4 + 20ml 0.6 |
| | 185 | 217 | 125 | 84 | 760 | 80 | 40mL 0.4 + 40ml 0.6 |
| | 188 | 222 | 127 | 84 | 808 | 80 | 20mL 0.4 + 60ml 0.6 |
| 0.6 | 190 | 226 | 129 | 85 | 840 | 80 | |
| | 200 | 244 | 139 | 88 | 1000 | 90 | |
| | 210 | 263 | 148 | 91 | 1160 | 100 | Fine fur covering body |
| Transition | 212 | 267 | 150 | 92 | 1190 | 100 | 75mL 0.6 + 25ml >0.7 |
| | 215 | 273 | 153 | 93 | 1250 | 100 | 50mL 0.6 + 50ml >0.7 |
| | 218 | 278 | 155 | 93 | 1310 | 100 | 25mL 0.6 + 75ml >0.7 |
| >0.7 | 220 | 282 | 157 | 94 | 1350 | 100 | |
| | 230 | 302 | 167 | 97 | 1550 | 110 | |
| | 240 | 322 | 176 | 100 | 1770 | 120 | |
| | 250 | 342 | 185 | 103 | 2050 | 130 | Emerging from pouch |
| | 260 | 362 | 195 | 106 | 2400 | 145 | |
| | 270 | 383 | 204 | 109 | 2800 | 155 | |
| | 280 | 406 | 214 | 112 | 3250 | 170 | |
| | 290 | 428 | 224 | 114 | 3700 | 190 | |
| | 300 | 446 | 232 | 116 | 4200 | 210 | |
| | 310 | 455 | 235 | 118 | 4700 | 230 | |
| Weaning | 320 | 463 | 237 | 120 | 5200 | 240 | Fully out of pouch |
| | 330 | Growth rate now about 40-50g per day | | | | 240 | Feed volume now depends on amount of solids consumed |
| | 360 | Not Valid | | | | 180 | |
| | 390 | | | | | 120 | Gradually increase solid |
| | 420 | | | | | 60 | food and reduce milk intake |
| | 450 | | | | | 0 | Fully weaned |

*Note: Larger animals (eg males) may better follow the growth curve of the Eastern Grey Kangaroo. WA animals (subspecies *ocydromus*) may grow more slowly and reach developmental milestones later than indicated on the chart.